

Poveznica na proizvod: <https://cncworld.hr/dx-temeljni-premaz-za-staklo-za-uv-pisae-p-1399.html>



DX temeljni premaz za staklo za UV pisae

Cijena s PDV-om	129.00 €
Cijena bez PDV-a	103.20 €
Prethodna cijena	169.00 €
Dostupnost	Dostupno
Vrijeme dostave	48 sati
Kataloški broj	010INK
Šifra proizvođača	X1

Opis proizvoda

Podložna tekućina DX za staklo za UV pisae



**UV Primer DX Pre-coating liquid
for Glass 1000ml**

Lot no.: 2508T0441

Compatible printheads:

DX5 | DX7 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390

CAUTIONS:

Warnings: For industrial use. Causes skin and eye irritation. May cause an allergic skin reaction.
Personal Protective Equipment (PPE):
• Always wear safety glasses or a face shield. Direct contact can cause serious and permanent eye damage.
• Always wear chemical resistant protective gloves (e.g. nitrile). Use in a strong ventilation.
Safe Handling:
• Work in a well-ventilated area. Avoid inhaling vapors.
• Do not touch skin or clothes. In case of contact, immediately wash skin with soap and water.
• Keep away from fire and heat sources.
First Aid:
• Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention.
• Skin Contact: Remove contaminated clothing and wash skin with soap and water.
• Inhalation: Move the affected person to fresh air.
Storage and Disposal:
• Store in a tightly sealed container in a cool, dark, and dry place, away from sunlight.
• Transport of the end empty containers in accordance with local chemical waste regulations.



Podložna tekućina za staklo (UV primer) je specijalizirano kemijsko sredstvo koje djeluje kao **adhezijski most** između površine materijala i UV tinte. To je ključni element procesa UV tiska na zahtjevnim podlogama.

Uklanja problem slabe adhezije tinte na glatko staklo. Poboljšava **trajnost i otpornost** otiska na pranje i vlagu.

Rok uporabe: najmanje 6 mjeseci

Kompatibilne glave pisača: DX5 | DX7 | DX8 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390