

Poveznica na proizvod: <https://cncworld.hr/dz-akrilni-temeljni-premaz-za-uv-printere-p-1398.html>



DZ akrilni temeljni premaz za UV printere

Cijena s PDV-om	129.00 €
Cijena bez PDV-a	103.20 €
Prethodna cijena	169.00 €
Dostupnost	Dostupno
Vrijeme dostave	48 sati
Kataloški broj	009INK
Šifra proizvođača	X1

Opis proizvoda

Podložna tekućina DZ za akril za UV pisače



CNCWORLD

**UV Primer DZ Pre-coating liquid
for Acrylic 1000ml**

Lot no.: 2508T0441

Compatible printheads:

DX5 | DX7 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390

CAUTIONS:

- Warning! For industrial use. Causes skin and eye irritation. May cause an allergic skin reaction.
- Personal Protective Equipment (PPE):
 - Always wear safety glasses or a face shield. Direct contact can cause serious and permanent eye damage.
 - Always use chemical-resistant protective gloves (e.g., nitrile, PU) as a strong precaution.
- Safe handling:
 - Work in a well-ventilated area, avoid inhaling vapors.
 - Do NOT touch the skin with bare skin. In case of contact, immediately wash skin with soap and water.
 - Keep away from fire and heat sources.
- First Aid:
 - Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention.
 - Skin Contact: Remove contaminated clothing and wash skin with soap and water.
 - Inhalation: Move the affected person to fresh air.
- Storage and disposal:
 - Store in a tightly sealed container in a cool, dark, and dry place, away from sunlight.
 - Dispose of the end-user containers in accordance with local chemical waste regulations.



Podložna tekućina za akril (UV primer) je specijalizirano kemijsko sredstvo koje djeluje kao **adhezijski most** između površine materijala i UV tinte. To je ključni element procesa UV tiska na zahtjevnim podlogama.

Ojačava vezu tinte s sintetičkim površinama, povećavajući **elastičnost i otpornost** na ogrebotine, što je ključno u proizvodnji promotivnih proizvoda i ploča.

Rok uporabe: najmanje 6 mjeseci

Kompatibilne glave pisača: DX5 | DX7 | DX8 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390